


INTRODUCTION TO CUDA C



Introduction to CUDA C/C++



- What will you learn in this session?
 - Start from “Hello World!”
 - Write and execute C code on the GPU
 - Manage GPU memory
 - Manage communication and synchronization

Prerequisites



- You (probably) need experience with C or C++
- You don't need GPU experience
- You don't need parallel programming experience
- You don't need graphics experience

CONCEPTS

Heterogeneous Computing

Blocks

Threads

Indexing

Shared memory

`__syncthreads()`

Asynchronous operation

Handling errors

Managing devices

HELLO WORLD!

CONCEPTS

Heterogeneous Computing

Blocks

Threads

Indexing

Shared memory

`__syncthreads()`

Asynchronous operation


Handling errors

Managing devices

Heterogeneous Computing



- Terminology:
 - *Host* The CPU and its memory (host memory)
 - *Device* The GPU and its memory (device memory)



Host



Device

Heterogeneous Computing



device code

host code

```
#include <iostream>
#include <algorithm>

using namespace std;

#define N 1024
#define RADIUS 3
#define BLOCK_SIZE 16

__global__ void stencil_1d(int *in, int *out) {
    shared __int temp(BLOCK_SIZE + 2 * RADIUS);
    int index = threadIdx.x + blockDim.x * blockIdx.x;
    int index = threadIdx.x + RADIUS;

    // Read input elements into shared memory
    temp[index] = in[index];
    if (threadIdx.x < RADIUS) {
        temp[index - RADIUS] = in[index - RADIUS];
        temp[index + BLOCK_SIZE] = in[index + BLOCK_SIZE];
    }

    // Synchronize (ensure all the data is available)
    __syncthreads();

    // Apply the stencil
    int result = 0;
    for (int offset = -RADIUS ; offset <= RADIUS ; offset++)
        result += temp[index + offset];

    // Store the result
    out[index] = result;
}

void fill(int *x, int n) {
    fill_n(x, n, 1);
}

int main(void) {
    int *in, *out;           // host copies of a, b, c
    int *d_in, *d_out;       // device copies of a, b, c
    int size = (N + 2*RADIUS) * sizeof(int);

    // Alloc space for host copies and setup values
    in = (int *)malloc(size); fill(in, N + 2*RADIUS);
    out = (int *)malloc(size); fill(out, N + 2*RADIUS);

    // Alloc space for device copies
    cudaMalloc(&void **d_in, size);
    cudaMalloc(&void **d_out, size);

    // Copy to device
    cudaMemcpy(d_in, in, size, cudaMemcpyHostToDevice);
    cudaMemcpy(d_out, out, size, cudaMemcpyHostToDevice);

    // Launch stencil_1d() kernel on GPU
    stencil_1d<<(N<BLOCK_SIZE,BLOCK_SIZE>>>(d_in + RADIUS, d_out + RADIUS);

    // Copy result back to host
    cudaMemcpy(out, d_out, size, cudaMemcpyDeviceToHost);

    // Cleanup
    free(in); free(out);
    cudaFree(d_in); cudaFree(d_out);
    return 0;
}
```


parallel function

serial function


serial code

parallel code


serial code




Simple Processing Flow



Simple Processing Flow



Simple Processing Flow



Hello World!



```
int main(void) {  
    printf("Hello World!\n");  
    return 0;  
}
```

- Standard C that runs on the host
- NVIDIA compiler (nvcc) can be used to compile programs with no *device* code

Output:

```
$ nvcc  
hello_world.cu  
$ a.out  
Hello World!  
$
```

Hello World! with Device Code



```
__global__ void mykernel(void) {  
}  
  
int main(void) {  
    mykernel<<<1,1>>>();  
    printf("Hello World!\n");  
    return 0;  
}
```

- Two new syntactic elements...

Hello World! with Device Code



```
__global__ void mykernel(void) {  
}
```

- CUDA C/C++ keyword `__global__` indicates a function that:
 - Runs on the device
 - Is called from host code
- nvcc separates source code into host and device components
 - Device functions (e.g. `mykernel()`) processed by NVIDIA compiler
 - Host functions (e.g. `main()`) processed by standard host compiler
 - `gcc, cl.exe`

Hello World! with Device Code



```
mykernel<<<1,1>>>();
```

- Triple angle brackets mark a call from *host* code to *device* code
 - Also called a “kernel launch”
 - We’ll return to the parameters (1,1) in a moment
- That’s all that is required to execute a function on the GPU!

Hello World! with Device Code



```
__global__ void mykernel(void) {  
}  
  
int main(void) {  
    mykernel<<<1,1>>>();  
    printf("Hello World!\n");  
    return 0;  
}
```

Output:

```
$ nvcc hello.cu  
$ a.out  
Hello World!  
$
```


- `mykernel()` does nothing, somewhat anticlimactic!

We need a more interesting example...

Parallel Programming in CUDA C/C++



- But wait... GPU computing is about massive parallelism!
- We need a more interesting example...
- We'll start by adding two integers and build up to vector addition





Addition on the Device

- A simple kernel to add two integers

```
__global__ void add(int *a, int *b, int *c) {  
    *c = *a + *b;  
}
```

- As before `__global__` is a CUDA C/C++ keyword meaning
 - `add()` will execute on the device
 - `add()` will be called from the host



Addition on the Device

- Note that we use pointers for the variables

```
__global__ void add(int *a, int *b, int *c) {  
    *c = *a + *b;  
}
```

- `add()` runs on the device, so `a`, `b` and `c` must point to device memory
- We need to allocate memory on the GPU

Memory Management



- Host and device memory are separate entities
 - *Device* pointers point to GPU memory
 - May be passed to/from host code
 - May *not* be dereferenced in host code
 - *Host* pointers point to CPU memory
 - May be passed to/from device code
 - May *not* be dereferenced in device code
- Simple CUDA API for handling device memory
 - `cudaMalloc()`, `cudaFree()`, `cudaMemcpy()`
 - Similar to the C equivalents `malloc()`, `free()`, `memcpy()`





Addition on the Device: add()

- Returning to our `add()` kernel

```
__global__ void add(int *a, int *b, int *c) {  
    *c = *a + *b;  
}
```

- Let's take a look at `main()`...



Addition on the Device: main()

```
int main(void) {
    int a, b, c;                                // host copies of a, b, c
    int *d_a, *d_b, *d_c;                        // device copies of a, b, c
    int size = sizeof(int);

    // Allocate space for device copies of a, b, c
    cudaMalloc((void **) &d_a, size);
    cudaMalloc((void **) &d_b, size);
    cudaMalloc((void **) &d_c, size);

    // Setup input values
    a = 2;
    b = 7;
```



Addition on the Device: main()

```
// Copy inputs to device
cudaMemcpy(d_a, &a, size, cudaMemcpyHostToDevice);
cudaMemcpy(d_b, &b, size, cudaMemcpyHostToDevice);

// Launch add() kernel on GPU
add<<<1,1>>>(d_a, d_b, d_c);

// Copy result back to host
cudaMemcpy(&c, d_c, size, cudaMemcpyDeviceToHost);

// Cleanup
cudaFree(d_a); cudaFree(d_b); cudaFree(d_c);
return 0;
}
```

RUNNING IN PARALLEL

CONCEPTS

Heterogeneous Computing

Blocks

Threads

Indexing

Shared memory

`__syncthreads()`

Asynchronous operation

Handling errors

Managing devices

Moving to Parallel

- GPU computing is about massive parallelism
 - So how do we run code in parallel on the device?

```
add<<< 1, 1 >>>();  
          ^  
          |  
add<<< N, 1 >>>();
```



- Instead of executing `add()` once, execute N times in parallel

Vector Addition on the Device



- With `add()` running in parallel we can do vector addition
- Terminology: each parallel invocation of `add()` is referred to as a **block**
 - The set of blocks is referred to as a **grid**
 - Each invocation can refer to its block index using `blockIdx.x`

```
__global__ void add(int *a, int *b, int *c) {  
    c[blockIdx.x] = a[blockIdx.x] + b[blockIdx.x];  
}
```

- By using `blockIdx.x` to index into the array, each block handles a different element of the array

Vector Addition on the Device

```
__global__ void add(int *a, int *b, int *c) {  
    c[blockIdx.x] = a[blockIdx.x] + b[blockIdx.x];  
}
```

- On the device, each block can execute in parallel:

Block 0

```
c[0] = a[0] + b[0];
```

Block 1

```
c[1] = a[1] + b[1];
```

Block 2

```
c[2] = a[2] + b[2];
```

Block 3

```
c[3] = a[3] + b[3];
```



Vector Addition on the Device: add()

- Returning to our parallelized `add()` kernel

```
__global__ void add(int *a, int *b, int *c) {  
    c[blockIdx.x] = a[blockIdx.x] + b[blockIdx.x];  
}
```

- Let's take a look at `main()`...

Vector Addition on the Device: main()



```
#define N 512
int main(void) {
    int *a, *b, *c;                      // host copies of a, b, c
    int *d_a, *d_b, *d_c;                  // device copies of a, b, c
    int size = N * sizeof(int);

    // Alloc space for device copies of a, b, c
    cudaMalloc((void **) &d_a, size);
    cudaMalloc((void **) &d_b, size);
    cudaMalloc((void **) &d_c, size);

    // Alloc space for host copies of a, b, c and setup input values
    a = (int *)malloc(size); random_ints(a, N);
    b = (int *)malloc(size); random_ints(b, N);
    c = (int *)malloc(size);
```

Vector Addition on the Device: main()



```
// Copy inputs to device
cudaMemcpy(d_a, a, size, cudaMemcpyHostToDevice);
cudaMemcpy(d_b, b, size, cudaMemcpyHostToDevice);

// Launch add() kernel on GPU with N blocks
add<<<N,1>>>(d_a, d_b, d_c);

// Copy result back to host
cudaMemcpy(c, d_c, size, cudaMemcpyDeviceToHost);

// Cleanup
free(a); free(b); free(c);
cudaFree(d_a); cudaFree(d_b); cudaFree(d_c);
return 0;
}
```

Review (1 of 2)

- Difference between *host* and *device*
 - *Host* CPU
 - *Device* GPU
- Using `__global__` to declare a function as device code
 - Executes on the device
 - Called from the host
- Passing parameters from host code to a device function

Review (2 of 2)

- Basic device memory management
 - `cudaMalloc()`
 - `cudaMemcpy()`
 - `cudaFree()`
- Launching parallel kernels
 - Launch N copies of `add()` with `add<<<N, 1>>>(...);`
 - Use `blockIdx.x` to access block index

INTRODUCING THREADS

CONCEPTS

Heterogeneous Computing

Blocks

Threads

Indexing

Shared memory

`__syncthreads()`

Asynchronous operation

Handling errors

Managing devices

CUDA Threads



- Terminology: a block can be split into parallel **threads**
- Let's change `add()` to use parallel *threads* instead of parallel *blocks*

```
__global__ void add(int *a, int *b, int *c) {  
    c[threadIdx.x] = a[threadIdx.x] + b[threadIdx.x];  
}
```

- We use `threadIdx.x` instead of `blockIdx.x`
- Need to make one change in `main()`...

Vector Addition Using Threads: main()



```
#define N 512
int main(void) {
    int *a, *b, *c;                      // host copies of a, b, c
    int *d_a, *d_b, *d_c;                  // device copies of a, b, c
    int size = N * sizeof(int);

    // Alloc space for device copies of a, b, c
    cudaMalloc((void **) &d_a, size);
    cudaMalloc((void **) &d_b, size);
    cudaMalloc((void **) &d_c, size);

    // Alloc space for host copies of a, b, c and setup input values
    a = (int *)malloc(size); random_ints(a, N);
    b = (int *)malloc(size); random_ints(b, N);
    c = (int *)malloc(size);
```

Vector Addition Using Threads: main ()



```
// Copy inputs to device
cudaMemcpy(d_a, a, size, cudaMemcpyHostToDevice);
cudaMemcpy(d_b, b, size, cudaMemcpyHostToDevice);

// Launch add() kernel on GPU with N threads
add<<<1,N>>>(d_a, d_b, d_c);

// Copy result back to host
cudaMemcpy(c, d_c, size, cudaMemcpyDeviceToHost);

// Cleanup
free(a); free(b); free(c);
cudaFree(d_a); cudaFree(d_b); cudaFree(d_c);
return 0;
}
```

COMBINING THREADS AND BLOCKS

CONCEPTS

Heterogeneous Computing

Blocks

Threads

Indexing

Shared memory

`__syncthreads()`

Asynchronous operation

Handling errors

Managing devices




Combining Blocks and Threads

- We've seen parallel vector addition using:
 - Several blocks with one thread each
 - One block with several threads
- Let's adapt vector addition to use both *blocks* and *threads*
- Why? We'll come to that...
- First let's discuss data indexing...

Indexing Arrays with Blocks and Threads



- No longer as simple as using `blockIdx.x` and `threadIdx.x`
 - Consider indexing an array with one element per thread (8 threads/block)




- With M threads per block, a unique index for each thread is given by:

```
int index = threadIdx.x + blockIdx.x * M;
```

Indexing Arrays: Example

- Which thread will operate on the red element?



```
int index = threadIdx.x + blockIdx.x * M;  
= 5 + 2 * 8;  
= 21;
```

Vector Addition with Blocks and Threads



- Use the built-in variable `blockDim.x` for threads per block

```
int index = threadIdx.x + blockIdx.x * blockDim.x;
```

- Combined version of `add()` to use parallel threads *and* parallel blocks

```
__global__ void add(int *a, int *b, int *c) {
    int index = threadIdx.x + blockIdx.x * blockDim.x;
    c[index] = a[index] + b[index];
}
```

- What changes need to be made in `main()`?

Addition with Blocks and Threads: main()



```
#define N (2048*2048)
#define THREADS_PER_BLOCK 512
int main(void) {
    int *a, *b, *c;                                // host copies of a, b, c
    int *d_a, *d_b, *d_c;                            // device copies of a, b, c
    int size = N * sizeof(int);

    // Alloc space for device copies of a, b, c
    cudaMalloc((void **) &d_a, size);
    cudaMalloc((void **) &d_b, size);
    cudaMalloc((void **) &d_c, size);

    // Alloc space for host copies of a, b, c and setup input values
    a = (int *)malloc(size); random_ints(a, N);
    b = (int *)malloc(size); random_ints(b, N);
    c = (int *)malloc(size);
```

Addition with Blocks and Threads: main()



```
// Copy inputs to device
cudaMemcpy(d_a, a, size, cudaMemcpyHostToDevice);
cudaMemcpy(d_b, b, size, cudaMemcpyHostToDevice);

// Launch add() kernel on GPU
add<<<N/THREADS_PER_BLOCK,THREADS_PER_BLOCK>>>(d_a, d_b, d_c);

// Copy result back to host
cudaMemcpy(c, d_c, size, cudaMemcpyDeviceToHost);

// Cleanup
free(a); free(b); free(c);
cudaFree(d_a); cudaFree(d_b); cudaFree(d_c);
return 0;
}
```

Handling Arbitrary Vector Sizes



- Typical problems are not friendly multiples of `blockDim.x`
- Avoid accessing beyond the end of the arrays:

```
__global__ void add(int *a, int *b, int *c, int n) {  
    int index = threadIdx.x + blockIdx.x * blockDim.x;  
    if (index < n)  
        c[index] = a[index] + b[index];  
}
```

- Update the kernel launch:

```
add<<< (N + M-1) / M, M>>>(d_a, d_b, d_c, N);
```

Why Bother with Threads?



- Threads seem unnecessary
 - They add a level of complexity
 - What do we gain?
- Unlike parallel blocks, threads have mechanisms to efficiently:
 - Communicate
 - Synchronize
- To look closer, we need a new example...